

Trusted from olden times

Abridged Prescribing Information:

Presentation: Velogen 250 mg Capsule: Each capsule contains Cephradine BP 250 mg. Velogen 500 mg Capsule: Each capsule contains Cephradine BP 500 mg. Velogen Powder for Suspension: Each bottle contains powder for 100 ml suspension. Each 5 ml prepared suspension contains 125 mg Cephradine BP. Velogen Pediatric Drops: Each bottle contains powder for 15 ml drops. Each ml prepared drop contains 100 mg Cephradine BP. Indication: Velogen is indicated for the treatment of the following infections: • Urinary tract infections caused by E. coli, Klebsiella species, P. mirablilis. • Respiratory tract infection- for example tonsillitis, pharyngitis, and lobar pneumonia caused by S. pneumoniae, group A beta-hemolytic streptococci. Otitis media-due to group A beta-hemolytic streptococci, S. pneumoniae, H. influenzae and staphylococci. Skin and skin structure infections caused by staphylococci and beta - hemalytic streptococci. **Dosage and Administration:** Adult: 250 mg - 500 mg 6 hourly and 500 mg - 1 gm 12 hourly. Children: for normal infection 25-30 mg/kg and acute infection 100 mg/kg 2-4 times a day. Side Effects; Cephradine is well tolerated. However, a few side effects like nausea, vomiting, rash, diarrhea, abdominal discomfort or pain may occur. Contraindications: Cephradine is contraindicated to patients with known allergy to cephalosporins. Precautions: Cephradine should be used with caution in patient with partial renal impairment. Commercial pack: Velogen 250 mg: Each box contains 3 blister strips of 10 capsules. Velogen 500 mg: Each box contains 5 blister strips of 4 capsules. Velogen Powder for Suspension: Each bottle contains powder for 100 ml suspension. Velogen Pediatric Drops; Each bottle contains powder for 15 ml drops.







Head Office: House # 48A, Road # 11A, Dhanmondi Dhaka-1209, Bangladesh; Phone: 9132594, 8120243 Fax: 880-2-9120657; E-mail: info@generalpharma.com Web: www.generalpharma.com