

# TRUMEN

(Tramadol hydrochloride BP)

**Presentation :**

**Trumen 50** : Each capsule contains Tramadol hydrochloride BP 50 mg.

**Indications :**

Moderate to severe acute or chronic pain and in painful diagnostic or therapeutic measures.

Trumen is a potent drug for the relief of pain e.g. in wound pain, fractures, severe nerve pain, tumor pain, heart attack. It should not be used for minor pain.

**Dosage & administration :**

The dosage should be adjusted to the intensity of the pain. Adult usual dose is 4-6 capsules daily. Unless otherwise prescribed, this drug should be administered as follows :

In children from the age of one year, the drug can be given in a dose of 1-2 mg/kg body weight.

In general the daily dose should not exceed 400 mg.

In impaired renal or hepatic function it may be necessary to adjust the dose.

**Contraindications :**

Acute intoxication with alcohol, hypnotics, analgesics or other CNS- acting drugs. The preparation should be used with care in patients with increased reactivity to opioids. Tramadol should not be used in patients receiving MAO inhibitors.

**Precautions :**

Patients known to suffer from convulsions should be carefully monitored during treatment with Tramadol.

**Side effects :**

Sweating, dizziness, nausea, vomiting, dry mouth and fatigue may occur after Tramadol administration.

Influence on cardiovascular regulation (e.g. palpitations, postural hypotension or cardiovascular collapse) has been observed in rare cases.

**Drug interactions :**

On the concomitant administration with substances which also act on the central nervous system (e.g. Tranquilizers, Hypnotics) the sedative effect (fatigue) may be intensified. At the same time, however, combining Tramadol with a Tranquilizer, for example, will probably have a favorable effect on pain sensation.

**Pregnancy & lactation :**

In accordance with currently prevailing recommendations medication with Tramadol during pregnancy should only be resorted to after careful consideration of the risks. On use during lactation it is to be taken into account that about 0.1% of the dose passes into the milk.

**Commercial pack :**

**Trumen 50** : Each box contains 3 blister strips of 10 capsules.



**General Pharmaceuticals Ltd.**  
Gazipur, Bangladesh.